

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Thermostable RNase H

Catalog Number: M0523S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to produce 1

nmol of ribonucleotides from 40 picomoles of a fluorescently labeled 25 base pair RNA-DNA hybrid in a total reaction volume of 50 μ l in

20 minutes at 50°C.

Packaging Lot Number: 10144360
Expiration Date: 04/2024
Storage Temperature: -20°C

Storage Conditions: 50 mM Tris-HCl, 100 mM NaCl, 0.1 mM EDTA, 1 mM DTT, 0.1%

Triton®X-100, 50% Glycerol (pH 7.5 @ 25°C)

Specification Version: PS-M0523S v1.0

Thermostable RNase H Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0523SVIAL	Thermostable RNase H	10144359	Pass	
B0297SVIAL	RNase H Reaction Buffer	10140272	Pass	

Assay Name/Specification	Lot # 10144360
Endonuclease Activity (Nicking) A 50 μl reaction in RNase H Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in RNase H Reaction Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA and a minimum of 5 units of Thermostable RNase H is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	Pass



M0523S / Lot: 10144360 Page 1 of 2

Assay Name/Specification	Lot # 10144360
qPCR DNA Contamination (E. coli Genomic) A minimum of 5 units of Thermostable RNase H is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass
Protein Purity Assay (SDS-PAGE) Thermostable RNase H is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Timothy Meixsell Production Scientist 19 Apr 2022 Michael Tonello

Packaging Quality Control Inspector

19 Apr 2022



M0523S / Lot: 10144360

Page 2 of 2