

240 County Road Ipswich, MA 01938-2723 Tel 978-927-5054 Fax 978-921-1350 www.neb.com info@neb.com

New England Biolabs Certificate of Analysis

Product Name: Thermostable RNase H

Catalog Number: M0523S
Concentration: 5,000 U/ml

Unit Definition: One unit is defined as the amount of enzyme required to produce 1

nmol of ribonucleotides from 40 picomoles of a fluorescently labeled 25 base pair RNA-DNA hybrid in a total reaction volume of 50 μ l in

20 minutes at 50°C.

Packaging Lot Number: 10202789
Expiration Date: 07/2025
Storage Temperature: -20°C

Storage Conditions: 50 mM Tris-HCl, 100 mM NaCl, 0.1 mM EDTA, 1 mM DTT, 0.1%

Triton®X-100, 50% Glycerol (pH 7.5 @ 25°C)

Specification Version: PS-M0523S v1.0

Thermostable RNase H Component List				
NEB Part Number	Component Description	Lot Number	Individual QC Result	
M0523SVIAL	Thermostable RNase H	10199009	Pass	
B0297SVIAL	RNase H Reaction Buffer	10168999	Pass	

Assay Name/Specification	Lot # 10202789
Endonuclease Activity (Nicking) A 50 μl reaction in RNase H Reaction Buffer containing 1 μg of supercoiled PhiX174 DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C results in <10% conversion to the nicked form as determined by agarose gel electrophoresis.	Pass
Exonuclease Activity (Radioactivity Release) A 50 μl reaction in RNase H Reaction Buffer containing 1 μg of a mixture of single and double-stranded [³H] E. coli DNA and a minimum of 25 units of Thermostable RNase H incubated for 4 hours at 37°C releases <0.1% of the total radioactivity.	Pass
Protein Purity Assay (SDS-PAGE) Thermostable RNase H is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.	Pass
RNase Activity (Extended Digestion) A 10 µl reaction in NEBuffer 4 containing 40 ng of a 300 base single-stranded RNA	Pass



M0523S / Lot: 10202789

Page 1 of 2

Assay Name/Specification	Lot # 10202789
and a minimum of 5 units of Thermostable RNase H is incubated at 37°C. After incubation for 4 hours, >90% of the substrate RNA remains intact as determined by gel electrophoresis using fluorescent detection.	
qPCR DNA Contamination (E. coli Genomic) A minimum of 5 units of Thermostable RNase H is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.	Pass

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit www.neb.com/trademarks for additional information.

Bo Wu

Production Scientist

05 Jul 2023

Josh Hersey

Packaging Quality Control Inspector

03 Aug 2023



M0523S / Lot: 10202789

Page 2 of 2