

## New England Biolabs Certificate of Analysis

**Product Name:** T5 Exonuclease  
**Catalog Number:** M0663L  
**Concentration:** 10,000 U/ml  
**Unit Definition:** One unit of T5 Exonuclease is defined as the amount of enzyme required to cause the change of 0.00032 A260 nm/min at 37°C in CutSmart Buffer.  
**Packaging Lot Number:** 10234103  
**Expiration Date:** 02/2026  
**Storage Temperature:** -20°C  
**Storage Conditions:** 50 mM Tris-HCl, 100 mM NaCl, 1 mM DTT, 0.1 mM EDTA, 50 % Glycerol, 0.1 % Triton X-100, (pH 7.5 @ 25°C)  
**Specification Version:** PS-M0663S/L v2.0

T5 Exonuclease Component List			
NEB Part Number	Component Description	Lot Number	Individual QC Result
M0663LVIAL	T5 Exonuclease	10228303	Pass
B7004SVIAL	NEBuffer™ 4	10225682	Pass

Assay Name/Specification	Lot # 10234103
<p><b>Endonuclease Activity (Nicking)</b>            A 50 µl reaction in NEBuffer 4 containing 1 µg of supercoiled pUC19 DNA and a minimum of 30 units of T5 Exonuclease incubated for 4 hours at 37°C results in &lt;10% conversion to the nicked form as determined by agarose gel electrophoresis.</p>	<b>Pass</b>
<p><b>Protein Purity Assay (SDS-PAGE)</b>            T5 Exonuclease is ≥ 95% pure as determined by SDS-PAGE analysis using Coomassie Blue detection.</p>	<b>Pass</b>
<p><b>qPCR DNA Contamination (E. coli Genomic)</b>            A minimum of 1 ul of T5 Exonuclease is screened for the presence of E. coli genomic DNA using SYBR® Green qPCR with primers specific for the E. coli 16S rRNA locus. Results are quantified using a standard curve generated from purified E. coli genomic DNA. The measured level of E. coli genomic DNA contamination is ≤ 1 E. coli genome.</p>	<b>Pass</b>

This product has been tested and shown to be in compliance with all specifications.

One or more products referenced in this document may be covered by a 3rd-party trademark. Please visit

[www.neb.com/trademarks](http://www.neb.com/trademarks) for additional information.



---

Heidi Church  
Production Scientist  
08 Mar 2024



---

Michael Tonello  
Packaging Quality Control Inspector  
01 Apr 2024