

New England Biolabs Certificate of Analysis

Product Name: PmlI
Catalog #: R0532S/L
Concentration: 20,000 units/ml
Unit Definition: One unit is defined as the amount of enzyme required to digest 1 µg Lambda DNA (HindIII digest) DNA in 1 hour at 37°C in a total reaction volume of 50 µl.
Lot #: 0521604
Assay Date: 04/2016
Expiration Date: 04/2017
Storage Temp: -20°C
Storage Conditions: 25 mM KCl, 25 mM Tris-HCl (pH 7.5), 1 mM DTT, 0.5 mM EDTA, 50% Glycerol, 200 µg/ml BSA
Specification Version: PS-R0532S/L v2.0
Effective Date: 10 Feb 2016

| Assay Name/Specification (minimum release criteria) | Lot #0521604 |
|--|--------------|
| Endonuclease Activity (Nicking) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of supercoiled PhiX174 DNA and a minimum of 20 units of PmlI incubated for 4 hours at 37°C results in <20% conversion to the nicked form as determined by agarose gel electrophoresis. | Pass |
| Exonuclease Activity (Radioactivity Release) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of a mixture of single and double-stranded [³ H] <i>E. coli</i> DNA and a minimum of 100 units of PmlI incubated for 4 hours at 37°C releases <0.1% of the total radioactivity. | Pass |
| Ligation and Recutting (Terminal Integrity) - After a 10-fold over-digestion of Lambda HindIII DNA with PmlI, >95% of the DNA fragments can be ligated with T4 DNA ligase in 16 hours at 16°C. Of these ligated fragments, >95% can be recut with PmlI. | Pass |
| Non-Specific DNase Activity (16 Hour) - A 50 µl reaction in CutSmart™ Buffer containing 1 µg of Lambda HindIII DNA and a minimum of 100 Units of PmlI incubated for 16 hours at 37°C results in a DNA pattern free of detectable nuclease degradation as determined by agarose gel electrophoresis. | Pass |

* The BSA in this product has been granted an EDQM "Certificate of Suitability" from the European Directorate for the Quality of Medicines (# R1-CEP-2003-204-Rev00) and has been granted a USDA Certificate for Export of Bovine Blood Plasma/Serum for Manufacture into Pharmaceutical Products.



Authorized by
Derek Robinson
10 Feb 2016



Inspected by
Stephanie Cornelio
30 Mar 2016

